

ALR NEW PRODUCT LOOKBOOK

Q1 2026

Table of Contents



News
Decorative
Architectural
Downlight and Track
Specialized Application
Outdoor



INTRODUCING NUURA LIGHTING

Rooted in Danish design traditions and inspired by nature, Nuura creates versatile lighting collections for both residential and commercial applications. The brand's essence lies in a modern reinterpretation of the chandelier, offering modern elegance rooted in Scandinavian design.

Decorative

KUZCO

PERLE

- Designed by Branch Connection, inspired by a bead of dew after a rainstorm
- Oblong metallic shield provides indirect illumination
- Delivers 930 lumens,



MODULAR STRAW

- Combination of internal louver and ultra black nano coating for more precise optics
- Now used in some recessed downlights, cylinders, floodlights, and in-ground luminaires



OCL PRINTZ

- Three new 3D printed pendant manufactured using large-scale additive manufacturing



LUCEPLAN J-US XL

- Up to 36 light points
- 53.5" diameter
- Matte black or satin gold



VISA

ANNA COLLECTION

- 18" diameter pendant
- Mix and match luminous and solid shades
- Option for all Visa and alternative metal finishes
- Up to 3850 delivered lumens (three wattage options)
- Up and down light modules are independently specified
- Option for driver in canopy or remote driver
- BAA and BABA compliant



Architectural

FINELITE

HP-1

- 1.5" wide architectural linear available in suspended
- Available in Material Mimic wood finishes
- Flush lens or micro louver
- Available in direct and direct/indirect distributions
- Up to 6500 lumens per 4' section
- Static white, 80 or 90 CRI
- 1/16" increments (1" increments for micro-louvers)
- Standard dimming to 10%, 1% dimming available
- DECLARE
- BAA



FOCAL POINT

SEEM SWEEP₂ ARCS

- Standalone Arcs available in 30° and 90° angle, 36" to 168" radii
- Straights available in 1" increments units and runs
- Rounded end caps
- Same options as Seem Sweep 2 Patterns:
- Suspended or surface mount
- Up to 1000lm/ft Direct (Lambertian)
- Up to 1250lm/ft Indirect (Lambertian or Batwing)
- 2700-4000K, 80 or 90 CRI
- 0-10V, Low Voltage (PoE), Lutron Athena or DALI controls
- White, Black and Palladium Silver finish options



VODE

DUALHUB 107

- Dual-rail mounting with Box, Race, and Wing families
- One power feed
- Wall + ceiling mounting
- 360° rotation



LIGHTART

CLOUDFORMS BEAMS

- Combination of internal louver and ultra black nano coating for more precise optics
- Now used in some recessed downlights, cylinders, floodlights, and in-ground luminaires



LIGHTLY

CRESCENT SURFACE

- Mounts to hard ceilings or T-bar
- Lambertian distribution
- Offered with
 - Lens
 - Deep lens
 - Louver
- Wood finish options include:
 - Honey
 - Natural
 - Onyx
 - Dark Walnut
 - White



Downlight + Track

FLUXWERX

SPEAK

- Now available in recessed downlight, recessed multiple, pendant and surface
- 3" or 4" aperture
- Traditional cylinder or taper form factor



KIRLIN

HIGH OUTPUT

CYLINDERS

- 4" or 6" cylinder with integral driver
- Available in static white, warm dim, RGBW, and tunable white
- Independent control of up=down light
- Distribution options: 80/20, 70/30, 60/40
- Up optics range from 8° to 65°
- Down optics range from 20° to 70°
- Extensive dimming options
- Damp location rated




Specialized Application

KENALL

CSSETO

- Compatible with multiple structural grid ceilings commonly used in data centers
- 2 3/8" depth for minimal plenum space
- IC rated
- Round or square diffuse center lens
- Quick-wire access plate in back of fixture for easy attachment of incoming power supply



KENALL

MEDMASTER & MEDMASTER PILLOWSLOT



- Multi-function over-bed luminaire
- Ambient, Exam (Ambient + Reading) and Reading
- Optional nightlight
- Available in 2x4, 2x2, and slot
- Static white (3K, 35K, 4K) & Tunable White (27K-5K)
- UGR <19

BOCA

NANOX-TW

- Small profile (2") line-voltage tunable white linear
- Optics include 15°x40°, 120°x120°
- 0-10V, DMX, DALI control (via Boca SDS module)
- Fixed or hinged mounting
- Option for baffle
- JA8 listed, diffused/heavy diffused lens, and baffle
- BABA
- IP50, IP67



ELLIPTIPAR


ARTZI

- Endless variety of configurations suits any artwork or gallery
- Small, elegant adjustable hub hangers
- Built-in visor and optional baffle for glare shielding
- Adjustable and lockable aiming
- Up to 1900 delivered lumens per foot
- Static white (2200K, 2700K, 3000K, 3500K)
- Dim-to-Warm (1800K-3000K)
- Tunable White (2700K-6500K) or RGBW



VISA TRACE

- Rounded-square nightlight delivers up to 40 lumens
- Ideal for healthcare and behavioral health/high abuse environments
- Available in 2700K, red, blue, green, and amber light sources
- IP65 rated, IK10 impact resistant
- ADA compliant, BABA compliant



Outdoor

HK

ZHL1A

ANCHOR 1"

- 1" Step- and in-ground luminaire
- 1.7W LED delivers 150lm
- Field-changeable shields
- 360° rotation adjustment after installation
- Installs vertically or horizontally into nominal 1" drilled hole
- Wet location, IP68



LODES OUTDOOR

- Four new families of decorative pathway lighting
- Organic forms suitable for a variety of applications



TEGAN EXTON TREE MOUNT

- "Build-a-Box" for tree-mounted pendants
- Single spec-sheet for luminaire and mounting hardware
- Options for the remote driver are included, but ordered separately
- Non-invasive design protects tree health



VISIONAIRE

VOKEY ARCHLINE

- Area light available in three scales: 20", 35", 45"
- 19 optic options including low glare, automotive, and tennis
- Delivered lumen options range from 2500-32,000
- Pole heights range from 10'-24'
- Available as wall-mount
- Multi-fixture configurations
- Complementary VKB bollard
- Option for Wattstopper FSP-600, Zhaga, DMX, 7-Pin controls



Index

News

[Introducing Nuura](#)

Decorative

[Kuzco Perle](#)

[Modular Straw](#)

[OCL Printz](#)

[LucePlan J-US XL](#)

[Visa Anna Collection](#)

Architectural

[Finelite HP-1](#)

[Focal Point Seem Sweep 2 Arcs](#)

[Vode DualHub 107](#)

[LightArt Cloudform Beams](#)

[Lightly Crescent Surface](#)

Downlight and Track

[Fluxwerx Speak](#)

[FocalPoint ID3.5 Adjustable Accent](#)

[Kirlin High-Output Cylinders](#)

Specialized Application

[Kenall SimpleSeal CSSETO](#)

[Kenall MedMaster and MedMaster PillowSlot](#)

[Boca NanoX-TW](#)

[Elliptipar Artzi](#)

[Visa Trace](#)

Outdoor

[HK Anchor 1"](#)

[Lodes Outdoor](#)

[Tegan Exton Tree](#)

[Visionaire Vokey Archline](#)