

ALR NEW PRODUCT LOOKBOOK

Q3 2026

Table of Contents



News

Decorative

Architectural

Downlight and Track

Specialized Application

Outdoor



INTRODUCING **PINNACLE**

Please join us in welcoming Pinnacle Architectural Lighting to our line card in all five territories! Rooted in craftsmanship, innovation, and accountability, Pinnacle specializes in integrated lighting solutions that balance precision, performance, and thoughtful design.



INTRODUCING **ARKOSLIGHT**

ALR is happy to represent Arkoslight in Northern California and Northern Nevada, Central California, and Oregon/SW Washington. Based in Spain, this family-owned lighting company specializes in architectural recessed, surface, track, and wall lighting, with customizable systems to suit a variety of design needs.

Decorative

KUZCO

VOID

- Two hemispheres paired to reveal light from within
- •Available as
  - 41” linear pendant
  - 24” pendant
  - 12” sconce
  - Each hemisphere delivers up to 315lm, depending upon interior finishes
- 3000K standard, optional static white CCT from 2700-5000K
- Triac or ELV dimming
- Available in Black, Pearl White, and Vintage Brass finishes
- JA8 compliant



KUZCO

TACHI

- Family includes ceiling surface, sconce, pendant, and portable
- Inspired by Japanese blades
- Offered in Urban Bronze and Vintage Brass
- Integrated LED with frosted acrylic diffusers
- Triac or 0-10V dimming



OCL

MOBI

•Combines Cirque drum and 9mm acoustic absorbing fins
•Available in 31", 46", and 63" diameters
•Direct and direct/indirect distributions with option for dual circuit
•Delivers up to 16,705 lumens
•90+ CRI
•20+ acoustic color options
•Standard 0-10V dimming to 1%
•Field-replaceable LED driver
•BAA/BABA



LODES

AXIA

- 36” diameter
- 3360lm at 3000K
- 90 CRI
- Nodes powered by arms of the axis
- Glossy Bronze or Black Chrome finish



Architectural

FOCAL POINT

SCORE 2

•2.5” aperture
•Delivers up to 1000 lumens/ft
•Static white only (2700-400K)
•Direct only (Lambertian) or direct/indirect (batwing)
•Two lens cap options
•Inward bevel or flat
•Standard 0-10V dimming with integrated driver
•Optional low-voltage power via aircraft cables (remote driver)
•Optional POE



FINELITE

RGB+W

- HP-2, HP-3, HP-4 in all mountings
- Choose from 2700K or 3500K white channel (90 CRI)
- Isolated white delivers up to 720 lm/ft



Downlight + Track

LINDSLEY

TULE WALL SCONCE OPTIC UPDATE

- Asymmetric Optic
- 4˚ Pencil Beam
- Independent up/down control
- Wet/dry location rated



Specialized Application

FOCAL POINT

SEEM 4.

BEHAVIORAL HEALTH

Flush lenses with Lambertian, Grazer, or Asymmetric Room Fill optics
- High-impact polycarbonate lens
- Torx pin-in fasteners
- Driver and boards accessible from below
- Contact factory for BAA/BABA compliance

Seem 4 Behavioral Health Recessed
- Trim flange and mud-in mounting
- Units from 2-8', continuous runs in 1-foot increments
- Lambertian, Asymmetric, Asymmetric Room Fill, and Batwing optics

Seem 4 Behavioral Health Perimeter
- Perimeter mounting in drywall and hard ceilings
- Units from 2-8', continuous runs in 1-foot increments



BUY AMERICAN ACT COMPLIANT

LUMINII
KREST

- Mud-in installation for linear applications
- 5 profiles:
  - Perimeter and straight-edge reveal lighting
  - 90˚ corner transitions
  - Symmetric recessed slot and indirect
  - Recessed accent reveals and wall details
  - High-performance wall wash



WAGNER
LUMENGEAR

- Illuminated rail with emergency inverter battery backup
- Helps address egress illumination requirements
- Handrail and grasp-ability standards
- Continuity of illumination
- Available with NEMA 4x enclosures
- UL listed assembly



KIRLIN

DC-DC

- Choice Series now available with DALI DC-DC 0.1% dimming driver
- Choice Series includes:
- 2”, 4”, 5-6” downlights and cylinders round and square



VISA

SERENITY DECORATIVE

- Serenity overbed troffer now available with decorative graphic options inspired by biophilic designs



HEW
CONTOUR

- Family includes two products
  - Multi-function overbed luminaire
    - Ambient, exam, reading, and night lighting
    - Illuminated reading halo
  - CHM headwall
    - Amber nightlight
    - Independent up/down control
    - ADA-compliant profile



BUY AMERICAN ACT COMPLIANT

LIGHTART
CASPER

•Collection includes linear, boxes, and pendants for custom configurations
•Frosted diffuser, invisible hardware
•Red List Free



Outdoor

HK

ARCHITECTURAL SECURITY LIGHT

- 180˚ vertical and 360˚ horizontal adjustment
- Field-changeable optics, lenses, and glare control accessories
- Integrated LED and lamp-based options
- Up to 1400lm per head
- 12V, 120V-277V solutions



HK
ADAPT

- ZXA11 Adapt Accent Light
- 1.65” accent light for medium trees, architectural details, etc
- Field adjustable beam range 14˚—63˚
- 5W/365lm or 7W/560lm
- 12V/remote driver



STRUCTURA
AYLA

- 24 or 34” pathlight
- 5W diffusing dome, 3000K or 4000K
- 360˚ distribution
- Anchor or landscape spike mounting



STRUCTURA
BLOOM

- 36” stem with 11”D disc
- 8W
- 3000K or 4000K



Index

News

Introducing Pinnacle
Introducing Arkoslight

Decorative

Kuzco Void
Kuzco Tachi
OCL Mobi
Lodes Axia

Architectural

Focal Point Score 2
Finelite RGB+W

Downlight and Track

Lindsley Tule Wall Optic Update

Specialized Application

Luminii Krest
Wagner Lumengear
Kirlin DC-DC
Visa Serenity Decorative
HEW Contour
LightArt Casper

Outdoor

HK Architectural Security Light
HK Adapt
Structura Navi
Structura Ayla
Structura Bloom